

GIS-Based Delineation of Prime Groundwater Recharge Areas in the East Salt River Sub-basin



Joshua Randall

School of Sustainability, School of Geographical Sciences and Urban Planning



A Guide for Recharge

This project is simply intended to be a guide for areas of prime recharge in the sub-basin. There are two items central to recharge that were explored in this project: criteria and geographic location.

1. **What criteria are important to determining prime recharge areas?**
2. **Where are those areas within the East Salt River Valley (ESRV) Sub-basin?**

This project is crucial because no GIS-based sub-basin wide study on suitable recharge areas had been carried out. However CAP conducted a similar study along the CAP canal that this project is modeled after.^[1]

Important Factors of Recharge

Criteria and parameter selection was based on a combination of a review of literature and recommendations from experts. A list of about 25 criteria that was deemed relevant was created. Taking into account the scope and time allotted for the project, the list was split into 4 criteria themes. Indicator criteria was selected from each section and split into parameters.

Technical

Depth to Groundwater

Political/Social

Land Use

Land Ownership

Environmental

UST/VRS/Superfund sites*

Vicinity to waterways

Economic




Vicinity to canals

*UST=Underground storage tanks VRS=Voluntary Remediation Sites

Parameters of Criteria

	Criteria	0	1	2
Technical				
Depth to Groundwater	ft to water	ft < 100, ft > 500	100 - 300	300 - 500
Environmental				
UST/VRS/Superfund sites	miles to site	N/A	1 mile	m>1
Vicinity to waterways	miles to stream	N/A	1 mile	m>1
Cultural/Political				
Land Ownership	types	Other	Private	BLM, State, City Owned, Forest
Land Use	types	Urban, All other	Agriculture	Open Space
Economic				
Vicinity to Canal	miles to canal	m > 3	1 - 3	m<1

Prime Recharge Areas in the ESRV Sub-basin



GIS Delineation of Recharge

To determine the prime areas of recharge geographically a raster overlay analyzation technique was used. Parameters were determined for each criteria and each criteria was converted to a raster layer. The resulting raster cells were given a point value for each criteria based on the parameters they fell into.

0 -Unable to be used for recharge

1 -Good parameter for recharge

2 -Optimal parameter for recharge

Any 0 value in any criteria eliminated that raster cell (except the Land Use layer). The point values for each criteria were totaled for each raster cell and ranked based on total points.

Results

Values ranged from 5 to 12 with 12 being the highest possible point total. The area with most activity was through the central part of the sub-basin. This is because the corridor has the prime water depth criteria and is within prime vicinity of canals. Both of these are limiting factors because they eliminate large portions of the sub-basin where there cannot feasibly be recharge.

Moving Forward

Relevance

- Reports similar to this have been completed, but not to the extent of the entire ESRV sub-basin before this project
- This project will be included in a report delivered to the City of Mesa that is intended to provide Mesa and stakeholders in the East Valley Water Forum (EVWF) valuable information to make informed decisions about recharge in the sub-basin.

Collaboration

- Part of the report delivered to Mesa includes a study on collaboration between members of the EVWF by Emily Allen, which is very important when dealing with recharge
- Human interaction is very hard to quantify and but is still important, and therefore should be taken into consideration when looking at recharge. [2]

Next Steps

- A comprehensive 3D groundwater model would be a beneficial addition to the project in order to provide subsurface criteria such as infiltration rates
- Addition of other basin-wide criteria and refinement of current criteria would improve the identification and accuracy of prime recharge sites.

This material is based upon work supported by the National Science Foundation under Grant SES-0951366, Decision Center for a Desert City II: Urban Climate Adaptation. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Science Foundation.

The contents of this report reflect the views of the Licensee who is responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of MAG and have not been approved or endorsed by MAG.

I would like to thank Mark Holmes from the City of Mesa for providing valuable knowledge and insight into groundwater resources. I would also like to thank Dr. Elizabeth Wentz from the School of Geographical Sciences and Urban Planning for guidance with the research process and especially for providing assistance with the GIS portion of the project.

[1] Plato and Brooks, *Data Report and Report of Initial Weighting of Sites: East Salt River Valley Siting Study*, (Tempe, Arizona: GeoTrans, 2002)

[2]See "Uncovering Barriers and Motivations in Groundwater Management Collaboration" by Emily Allen

Data for this project was acquired from the ASU GIS repository, The City of Mesa, and the Maricopa Association of Governments.